

Product datasheet

Specifications



4G modem kit, EVlink Pro AC Metal, with 4G cellular modem and 1 antenna

EVA1MM

Main

Range	EVlink
Product Or Component Type	4G modem
Accessory / Separate Part Category	Communication accessory

Complementary

Range Compatibility	EVlink EVlink Pro AC Metal
Kit Composition	1 modem 2 screw 1 antenna 1 instruction sheet
Product Compatibility	Charging station
Antenna Type	Internal
Communication Network Type	4G LTE UMTS GSM
Transmission Rate	10 Mbps for downlink 5 Mbps for uplink
Mounting Mode	By screws
Integrated Connection Type	Micro SIM (3FF) card slot
Width	120 mm
Height	72 mm
Depth	160 mm
Net Weight	400 g

Environment

Ambient Air Temperature For Operation	-30...50 °C
Ambient Air Temperature For Storage	-40...80 °C
Relative Humidity	5...95 %
Standards	EN/IEC 63000:2018 AS/NZS CISPR 32
Directives	RED directive 2014/53/UE and UK equivalent

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	7.200 cm
Package 1 Width	11.200 cm
Package 1 Length	16.000 cm
Package 1 Weight	390.000 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	30
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	12.416 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information